

Compact

Heterogeneous



Acczent Excellence 80

Design and durability.

With a 0.8 mm PVC wear layer, Acczent Excellence 80 heterogeneous vinyl flooring collection offers great resistance to indentation, abrasion and tearing. An outstanding range of colours and designs - including woods, material and contemporary effects - make this an ideal choice for high-traffic areas in healthcare, education, offices, leisure and retail.

The surface benefits from TOPCLEAN XP PUR reinforcement which means no wax and no polish for life and easy low-cost maintenance.



Acczent Wood p. 110-111
 Acczent Esquisse p. 112-113
 Acczent Concrete/
 Steel/Fragmentation p. 114-115
 Acczent Sisal/
 Zebrano/Ceramic p. 116-117
 Acczent Focus p. 118-119

Technical data		Acczent Excellence 80			
Classification	EN 685 commercial industrial	Classes: 34 43			
	UPEC Classification NF UPEC certificate number (Ref NF189)	U4 P3 E2/3 C2 305-070.1			
Polyurethane reinforcement (PUR)	—	TopClean XP			
Total thickness	EN 428	2.00 mm			
Wear layer thickness	EN 429	0.80 mm			
Total weight	EN 430	3 100 g/m ²			
Abrasion group	EN 660-2	Group T: ≤ 2 mm ³			
Residual indentation	EN 433	≤ 0.05 mm			
Furniture leg	EN 424	No damage			
Castor wheel test	EN 425	No damage			
Dimensional stability	EN 434	≤ 0.10 %			
Curl resultant to heat	EN 434	≤ 8 mm			
Reaction to fire	EN 13501-1 ASTM E648	Bfl S1 glued over A2fl or A1fl substrate (concrete) and over any derivative wood substrate Class 1			
Slip resistance	DIN 51130 EN 13893	R9 ≥ 0.3			
Electrostatic properties	EN 1815 EN 1081	≤ 2 kV on concrete R1 > 10 ⁹ ohms			
Light fastness	EN ISO 105-B02	≥ 6			
Chemical resistance	EN 423	High resistance			
Anti fungi treatment Resistance to microb and bacteria	EN ISO 846	Sanitized Grade 1 High fungi effect			
Thermal resistance Underfloor heating	EN ISO 10456	0.02 m ² K/W Suitable			
Colours	—	Wood: 19 Esquisse: 16 Concrete: 4	Steel: 1 Fragmentation: 3 Coco Sisal: 3	Zebrano: 2 Ceramic: 3	Focus: 10 + special colours on request
Form of delivery	EN 426	Rolls: 23 lm x 2m			

*Colours 783 and 784 are not approved for use under the IMO directive.

The above information is subject to modifications for the benefit of further improvement (01/2011).
 For more detailed technical information, please contact Tarkett.

Acczent Excellence 80

Wood

TARKETT BALANCED CHOICE

52% Natural

100% 30% Recyclable Recycled content

Better Indoor Air Quality <math>< 100 \mu\text{g}/\text{m}^3</math> TVOC AT 28 DAYS

- └ 0.8 mm pure PVC transparent wear layer
- └ TopClean XP PUR: easy, low-cost maintenance
- └ Excellent resistance to scratches and abrasion
- └ Excellent resistance to scuffing, soiling and staining
- └ Glass fibre non-woven reinforcement: unique dimensional stability
- └ Acoustic version available (see Tapiflex Excellence 65 on pages 148 and 149)



CE EN 14041:2004 Manufactured by: Tarkett SAS 08200 Sedan FRANCE EN 649 Acczent Excellence 80

According to European Classification EN 685

Bamboo

Washed Oak



3763 016



3763 017



3763 018

Bamboo



3765 005

Merbau



3763 022

Brushed Oak



3763 025



3763 026




3763 027

Ipe



3763 021

Cabreuva



3763 011

RoseWood



3763 012

Ship Deck




3763 023

Wenge




3763 024

Doussie



3763 020

Oak



3763 001

Maple




3763 005

Beech



3763 002



3763 003

American Oak



3763 007



Acczent Excellence 80

Esquisse

- ┌ 0.8 mm pure PVC transparent wear layer
- ┌ Glass fibre non-woven reinforcement: unique dimension stability
- ┌ TopClean XP PUR: easy, low-cost maintenance
- ┌ Excellent resistance to scratches and abrasion
- ┌ Excellent resistance to scuffing, soiling and staining
- ┌ Easy, low-cost maintenance:
- ┌ Acoustic version available (see Tapiflex Excellence 65 on pages 150 and 151)





TARKETT BALANCED CHOICE


52% Natural

100% 30% Recyclable Recycled content


Better Indoor Air Quality <math>< 100 \mu\text{g}/\text{m}^3</math> TVOC AT 28 DAYS




3751 001 Medium green 3751 002 Dark green 3751 004 Light blue 3751 005 Light purple



3751 007 Dark red 3751 008 Medium red 3751 009 Orange 3751 010 Yellow



3751 011 Medium beige 3751 012 Grey beige 3751 013 Light grey 3751 014 Medium grey



3751 015 Dark grey 3751 016 Night blue 3751 017 Light chocolate 3751 018 Burgundy

Acczent Excellence 80

Concrete/Steel/Fragmentation

- └ 0.8 mm pure PVC transparent wear layer
- └ TopClean XP PUR: easy, low-cost maintenance
- └ Excellent resistance to scratches and abrasion
- └ Excellent resistance to scuffing, soiling and staining
- └ Glass fibre non-woven reinforcement: unique dimensional stability
- └ Acoustic version available (see Tapiflex Excellence 65 on pages 152 and 153)



TARKETT BALANCED CHOICE

52% Natural

100% 30% Recyclable Recycled content

Better Indoor Air Quality <math>< 100 \mu\text{g}/\text{m}^3</math> TVOC AT 28 DAYS

CE EN 14041:2004 Manufactured by: Tarkett SAS 08200 Sedan FRANCE EN 649 Acczent Excellence 80

According to European Classification EN 685

Concrete Steel

Concrete



3765 001

Grey



3765 002

Chalk



3765 003


Grey beige

Steel



3765 006

Brown



3764 001

Grey

Fragmentation



3765 101

Grey



3765 102

Beige



3765 103

Brown



Acczent Excellence 80

Sisal/Zebrano/Ceramic

TARKETT BALANCED CHOICE

52% Natural

100% 30% Recyclable Recycled content

Better Indoor Air Quality <math>< 100 \mu\text{g}/\text{m}^3</math> TVOC AT 28 DAYS

- └ 0.8 mm pure PVC transparent wear layer
- └ TopClean XP PUR: easy, low-cost maintenance
- └ Excellent resistance to scratches and abrasion
- └ Excellent resistance to scuffing, soiling and staining
- └ Glass fibre non-woven reinforcement: unique dimensional stability
- └ Acoustic version available (see Tapiflex Excellence 65 on pages 154 and 155)



CE EN 14041:2004 Manufactured by: Tarkett SAS 08200 Sedan FRANCE EN 649 Acczent Excellence 80


According to European Classification EN 685

Coco sisal



3779 901

Grey



3779 902

Beige



3779 903


Brown

Zebrano



3765 401

Black & White



3765 402

Natural

Ceramic



3765 301

Dark grey



3765 302

Chocolate



3765 303



Grey beige



Acczent Excellence 80

Focus

- └ A new generation of flooring for creative projects
- └ Explore three worlds of photographic imagery
- └ TopClean XP PUR: easy, low-cost maintenance
- └ Excellent resistance to scratches and abrasion
- └ Excellent resistance to scuffing, soiling and staining
- └ Glass fibre non-woven reinforcement: unique dimensional stability




Black & White



Leaves

3769 001




Grass

3769 002




Pebbles

3769 003



Sand

3769 004



Water


3769 005

Natural



Autumn leaves

3781 001



Grass


3781 002



Pebbles


3781 003

Synthetic




Leaves

3781 001



Grass

3781 002




Pebbles

3781 003




Sand

3781 004




Water

3781 005



Sand

3781 004



Water

3781 005

Five "Synthetic" images: choose a colour (NCS/Pantone/RAL...) and customize your photo decor as of 500 sqm.